



150 Dodd Street SE  
Marietta, GA. 30060

**Phone:** 770-973-6251  
**Fax:** 678-401-3854

**Email:** [info@mgs4u.com](mailto:info@mgs4u.com)  
**Website:** [www.mgs4u.com](http://www.mgs4u.com)

mini UHF male to mini UHF male Adapter



### Technical Data Sheet

This mini UHF male to mini UHF male adapter is one of several thousand RF products available from Max-Gain Systems, Inc. This adapter is a between series coaxial adapter.

This adapter is made from a Solid Brass body that is precision machined and plated with Nickel for superior performance and value. This mini-UHF male to mini-UHF male adapter has a Delrin dielectric and a gold plated brass center pin. Both mini-UHF male sides provide a plug and threaded connection used in applications such as: automotive, amateur radio, cellular, and others where size and weight are critical factors.

### Material Specifications

mini UHF male to mini UHF male Adapter

Part Number 7605

Description	Material	Plating
Center Pin	Brass	Gold
Insulator	Delrin	-
Body	Brass	Nickel

## Mechanical Specifications

Size	Dimension
Length	1.24 in (31.5 mm)
Width	0.45 in (11.5 mm)
Height	0.45 in (11.5 mm)
Weight	0.3 oz (10 g)

## Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

## Compliance Certifications (see product page for current documentation)

**Availability** Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/mini-uhf-male-to-mini-uhf-male-adapter-7605/?v=7516fd43adaa>

