



150 Dodd Street SE
Marietta, GA. 30060

Phone: 770-973-6251
Fax: 678-401-3854

Email: info@mgs4u.com
Website: www.mgs4u.com

SMA female to SMA female to SMA female Tee Adapter



Technical Data Sheet

This SMA female to SMA female to SMA female tee adapter is one of several thousand RF products available from Max-Gain Systems, Inc. This tee adapter is an in-series coaxial tee adapter.

This tee adapter is made from a Solid Brass body that is precision machined and plated with Nickel for superior performance and value. This SMA female to SMA female to SMA female tee adapter has a PTFE dielectric and a gold plated brass center pin. Each side provides a SMA female whose jack and exterior threads provide a sub-miniature and tight-locking connection for use at higher frequencies.

Material Specifications

SMA female to SMA female to SMA female Tee Adapter **Part Number 7842-T**

Description	Material	Plating
Body	Brass	Nickel
Center Pin	Phosphor Bronze	Gold
Insulator	PTFE	White
SMA female	Brass	Nickel

Mechanical Specifications

Size	Dimension
Length	0.95 in (24.1 mm)
Width	0.67 in (17.1 mm)
Height	0.35 in (9 mm)
Weight	0.3 oz (8 g)


Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

Compliance Certifications (see product page for current documentation)

Availability Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/sma-female-to-sma-female-to-sma-female-tee-adapter-7842-t/?v=7516fd43adaa>

1 2 3 4 5 6 7 8



MGS MAX-GAIN SYSTEMS, INC.

Max-Gain Systems, Inc.
 150 Dodd Street SE, Marietta, GA. 30060
 Phone: (770) 973-6251 | Fax: (678) 401-3854
 Website: www.mgs4u.com | E-Mail: sales@mgs4u.com

04	BODY	BRASS	NICKEL	
03	CENTER PIN	PHOSPHOR BRONZE	GOLD	
02	INSULATOR	TEFLON		
01	SMA FEMALE	BRASS	NICKEL	
NO	DESCRIPTION	MATERIAL	Q'TY	FINISH ITEM
1		2	3	4

TITLE: SMA female to SMA female to SMA female Tee Adapter
 DRAWING NO: 7842-T

ROHS COMPLIANT

ALL DIMENSION IN mm
 (UNLESS OTHERWISE SPECIFIED)

6	7	8
UNIT WEIGHT: 8g		

A B C D E F