

150 Dodd Street SE Marietta, GA. 30060

 Phone:
 770-973-6251
 Email:
 info@mgs4u.com

 Fax:
 678-401-3854
 Website:
 www.mgs4u.com

UHF female to SMA female Antenna Adapter



Technical Data Sheet

This UHF female to SMA female antenna adapter is one of several thousand RF products available from Max-Gain Systems, Inc. This antenna adapter is a between series coaxial handy talkie adapter.

This handy talkie adapter is made from a Solid Brass body that is precision machined and plated with Black Chrome for superior performance and value. This UHF female to SMA female handy talkie adapter has a PTFE dielectric and a gold plated brass center pin. The UHF female side (also known as a SO-239 connection) is by far the most popular connection type used in Amateur Radio. The SMA female side's jack and exterior threads provide a sub-miniature and tight-locking connection for use at higher frequencies. This UHF female to SMA female handy talkie adapter has a strain relief skirt and is perfect for adapting and protecting the internal SMA male connector on your handy talkie radio.

Material Specifications

UHF female to SMA female Antenna Adapter

Part I	Num	ber 7	′839-l	HT
--------	-----	-------	--------	----

Description	Material	Plating
Center Pin	Phosphor Bronze	Gold
Body	Brass	Black Chrome
Insulator	PTFE	White

Mechanical Specifications


Size	Dimension
Length	0.96 in (24.35 mm)
Width	0.65 in (16.5 mm)
Height	0.65 in (16.5 mm)
Weight	0.5 oz (14 g)

Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

Compliance Certifications (see product page for current documentation)

Availability Click the following link (or enter part number in the "SEARCH" bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: https://mgs4u.com/product/uhf-female-to-sma-female-antenna-adapter-7839-ht/





	Max-Gain Systems, Inc.		Website: www.mgs4u.com E-Mail: sales@mgs4u.com	TIT! F. 1 !! F	TILLE: UHF IEMAIE 10 SMA IEMAIE ANIEMA	Adapter		THE STANDING NO. 7030 LIT	UALE URAWING INC: 7038-FIL	(:: I	FILE NO : .
		DATE	7			שואט		L	DAIE		
	APPROVED			CHECKED				DRAWN			
OTHERWISE TOLERANCES = ±0.2 = ±0.6 = ±0.6 0 = ±1.6 00 = ±2.4								Y SCALE:			
						ı	,	-	-		ŎŢ
						07 00	THIM	WIIIE	BLACK CHROME		FINISH
						BRASS	TECH ON	IETLON	BRASS		MATERIAL
25.00											

PIN
INSULATOR
BODY
NO. DESCRIPTION

PART NO