



150 Dodd Street SE
Marietta, GA. 30060

Phone: 770-973-6251
Fax: 678-401-3854

Email: info@mgs4u.com
Website: www.mgs4u.com

BNC male to UHF female Adapter



Technical Data Sheet

This BNC male to UHF female adapter is one of several thousand RF products available from Max-Gain Systems, Inc. This adapter is a between series coaxial adapter.

This adapter is made from a Solid Brass body that is precision machined and plated with Nickel for superior performance and value. This BNC male to UHF female adapter has a Delrin dielectric and a gold plated brass center pin. The BNC male side accepts the BNC female tabs or "bayonets" for quick and reliable connections and disconnections. The UHF female side (also known as a SO-239 connection) is by far the most popular connection type used in Amateur Radio.

Material Specifications

BNC male to UHF female Adapter

Part Number 7060-TGS

Description	Material	Plating
Shell	Zinc Alloy	Silver
Washer	Steel	Silver
Spring	SK5	Silver
Gasket	Rubber	Red
Center Pin	Brass	Gold
Insulator	PTFE	White
Body	Brass	Nickel

Mechanical Specifications


Size	Dimension
Length	1.29 in (32.9 mm)
Width	0.61 in (15.5 mm)
Height	0.61 in (15.5 mm)
Weight	0.7 oz (20 g)

Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

Compliance Certifications (see product page for current documentation)

Availability Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/bnc-male-to-uhf-female-adapter-best-7060-tgs/>



MGS MAX-GAIN SYSTEMS, INC.

Max-Gain Systems, Inc.
 150 Dodd Street SE, Marietta, GA, 30060
 Phone: (770) 973-6251 | Fax: (678) 401-3854
 Website: www.mgs4u.com | E-Mail: sales@mgs4u.com

TITLE: BNC male to UHF female Adapter

NO.	DESCRIPTION	MATERIAL	QTY	UNIT: mm	SCALE: .	PART NO	DATE
	SHELL	ZINC ALLOY	1				
	WASHER	STEEL	1			APPROVED	DATE
	SPRING	SK5	1			CHECKED	DATE
	GASKET	RUBBER	1			DRAWN	DATE
	PIN	BRASS	1				
	INSULATOR	TEFLON	1				
	BODY	BRASS	1				
	NO. DESCRIPTION	MATERIAL	QTY				

UNLESS OTHERWISE SPECIFIED TOLERANCES
 0.5-5 = ±0.2
 5-30 = ±0.4
 30-120 = ±0.6
 120-315 = ±1
 315-1000 = ±1.6
 1000-2000 = ±2.4

DRAWING NO: 7060-TGS
 FILE NO : .