



150 Dodd Street SE
Marietta, GA. 30060

Phone: 770-973-6251
Fax: 678-401-3854

Email: info@mgs4u.com
Website: www.mgs4u.com

Dust and Rain Cap for UHF female (SO-239) Connectors



Technical Data Sheet

This Dust and Rain Cap for UHF Female (SO-239) Connectors is one of several thousand RF products available from Max-Gain Systems, Inc. This cap will also fit any Type N female connector or adapter and round microphone jacks with a 5/8 x 24 thread.

This Dust and Rain Cap for UHF Female (SO-239) Connectors is made from a Solid Brass body that is precision machined and plated with Nickel for superior performance and value. Dust and Rain Cap for UHF Female (SO-239) Connector does not provide a shorting connection or a retention chain.

Material Specifications

Dust and Rain Cap for UHF female (SO-239) Connector

Part Number 7510

Description	Material	Plating
Body	Brass	Nickel
Gasket	Silicone	Red

Mechanical Specifications


Size	Dimension
Length	0.44 in (11.24 mm)
Width	0.71 in (18 mm)
Height	0.71 in (18 mm)
Weight	0.3 oz (8 g)

Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

Compliance Certifications (see product page for current documentation)

Availability Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/dust-and-rain-cap-for-uhf-female-so-239-connectors-7510/>



MGS MAX-GAIN SYSTEMS, INC.

Max-Gain Systems, Inc.
 150 Dodd Street SE, Marietta, GA. 30060
 Phone: (770) 973-6251 | Fax: (678) 401-3854
 Website: www.mgs4u.com | E-Mail: sales@mgs4u.com

**TITLE: Dust and Rain Cap for UHF female
 (SO-239) Connectors**

DRAWING NO: 7510

FILE NO : .

PART NO	DATE	UNLESS OTHERWISE SPECIFIED TOLERANCES	UNIT: mm	NO.	DESCRIPTION
APPROVED	DATE	0.5-5 = ±0.2		1	GASKET
CHECKED	DATE	5-30 = ±0.4			BODY
DRAWN	DATE	30-120 = ±0.6			SILICONE
		120-315 = ±1			BRASS
		315-1000 = ±1.6			NICKEL
		1000-2000 = ±2.4			FINISH
				QTY	MATERIAL