



150 Dodd Street SE
Marietta, GA. 30060

Phone: 770-973-6251
Fax: 678-401-3854

Email: info@mgs4u.com
Website: www.mgs4u.com

UG-175 Reducer for UHF Male (PL-259) and Type N Male for LMR-195, RG-58, and other 0.195 Inch OD Coax (Best)



Technical Data Sheet

This connector is made from a Solid Brass body that is precision machined and plated with Silver for superior performance and value. UG-175 Reducer for UHF Male (PL-259) and Type N Male (Better) allow our [7500-UHF](#) (PL-259) and [7303-N-400](#) which normally install onto LMR-400 (and similar) coax to install onto LMR-195, RG-58, and other 0.195 Inch OD Coax.

Material Specifications

UG-175 Reducer for UHF Male (PL-259) and Type N Male Part Number 7507-S

Description	Material	Plating
Body	Brass	Silver

Mechanical Specifications


Size	Dimension
Length	1.00 in (25.5 mm)
Width	0.43 in (11 mm)
Height	0.43 in (11 mm)
Weight	0.4 oz (12 g)

Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

Compliance Certifications (see product page for current documentation)

Availability Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/ug-175-reducer-for-uhf-male-pl-259-and-type-n-male-for-0-195-inch-od-coax-best-7507-s/>



Max-Gain Systems, Inc.
 150 Dodd Street SE, Marietta, GA, 30060
 Phone: (770) 973-6251 | Fax: (678) 401-3854
 Website: www.mgs4u.com | E-Mail: sales@mgs4u.com

TITLE: UG-175 Reducer for UHF Male (PL-259) and Type N Male for LMR-195, RG-58, and other 0.195 Inch OD Coax

DRAWING NO: 7507-S
 FILE NO :

PART NO	DATE	APPROVED	DATE	CHECKED	DATE	DRAWN	DATE
UNLESS OTHERWISE SPECIFIED TOLERANCES 0.5-5 = ±0.2 5-30 = ±0.4 30-120 = ±0.6 120-315 = ±1 315-1000 = ±1.6 1000-2000 = ±2.4							
UNIT: mm							1
SCALE: .							QTY
NO. DESCRIPTION				BRASS MATERIAL		SILVER FINISH	