



150 Dodd Street SE
Marietta, GA. 30060

Phone: 770-973-6251
Fax: 678-401-3854

Email: info@mgs4u.com
Website: www.mgs4u.com

UHF female to 3/8 x 24 threaded male Adapter



Technical Data Sheet

This UHF female to 3/8 x 24 threaded male adapter is one of several thousand RF products available from Max-Gain Systems, Inc. This adapter is a between series coaxial adapter.

This adapter is made from a Solid Brass body that is precision machined and plated with Nickel for superior performance and value. This UHF female to 3/8 x 24 threaded male adapter has a PTFE dielectric and a gold plated brass center pin. The UHF female side (also known as a SO-239 connection) is by far the most popular connection type used in Amateur Radio. The 3/8 x 24 male is most widely used in both mobile and permanent antenna mount applications.

Material Specifications

UHF female to 3/8 x 24 threaded male Adapter

Part Number 9905

Description	Material	Plating
Center Pin	Brass	Gold
Body	Brass	Nickel
Insulator	PTFE	White

Mechanical Specifications

Size	Dimension
Length	1.33 in (34 mm)
Width	0.63 in (16 mm)
Height	0.63 in (16 mm)
Weight	0.9 oz (26 g)

Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

Compliance Certifications (see product page for current documentation)

Availability Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/uhf-female-16v-to-3-8-x-24-thread-p-n-9905/>

