

150 Dodd Street SE Marietta, GA. 30060

Phone: 770-973-6251 Fax: 678-401-3854 Cage Code: 7JZZ8 Email: info@mgs4u.com
Website: www.mgs4u.com

SMA female Single Hole Panel Mount Solder Connector



#### **Technical Data Sheet**

This SMA female Single Hole Panel Mount Solder Connector is one of several thousand RF products available from Max-Gain Systems, Inc.

This connector is made from a Solid Brass body that is precision machined and plated with Gold for superior performance and value. This SMA female Single Hole Panel Mount Solder Connector has a PTFE dielectric and a gold plated brass center pin. The SMA female provides a jack and exterior threads enabling a sub-miniature and tight-locking connection for use at higher frequencies. Includes two nuts and a lock washer. Can be used in a panel that is already threaded by removing one of the nuts OR in a panel that is not threaded by utilizing all of the hardware provided.

## **Material Specifications**

#### **SMA female Single Hole Panel Mount Solder Connector**

Part Number 7818

Description	Material	Plating
Pin	Phosphor Bronze	Gold
Insulator	PTFE	White
Body	Brass	Gold

## **Electrical Specifications**

Criteria	Dimension
Impedance (Nominal)	50 Ohms
Frequency Range	DC to 18 GHz
Working Voltage	335

# **Mechanical Specifications**


Size	Dimension
Length	0.7 in (17.6 mm)
Width	0.25 in (6.25 mm)
Height	0.25 in (6.25 mm)
Weight	0.1 oz (3 g)

### **Environmental Specifications**

Temperature	Spec
Operating Range	-65 to +165 deg C

## Compliance Certifications (see product page for current documentation)

**Availability** Click the following link (or enter part number in the "SEARCH" bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: https://mgs4u.com/product/sma-female-single-hole-panel-mount-solder-connector/





Max-Gain Systems, Inc. 150 Dodd Street SE, Marietta, GA, 30060 Phone: (770) 973-6251   Fax: (678) 401-3854 Website: www.mgs4u.com   E-Mail: sales@mgs4u.com			TITLE: SMA female Single Hole Panel Mount Solder Connector				DRAWING NO: 7818				
DATE	DATE			DAIE		•	L	DAIE			
PART NO	PART NO APPROVED				CHECKED				CKAWN		
MSE ANCES 4.2 7.6 ±1.6 ±2.4							1	Y SCA F.			
					ŀ	_		-	-		2
					4 00	COLU	WHITE		COLD		FINISH
					10000	PHOSPHOR BRONZE	NOTEELON		BRASS		MATERIAL
	PART NO DATE	PART NO DATE	PART NO DATE	PART NO APPROVED	PART NO APPROVED	Nulless Otherwise   PART NO	PART NO DATE APPROVED DATE CHECKED DATE	DART NO   DIMESS OTHERWISE   PART NO	Nulless Otherwise   PART NO	Null Ess OTHERWISE   PART NO	Ountess otherwise   PART NO

PIN INSULATOR BODY NO. DESCRIPTION