



150 Dodd Street SE  
Marietta, GA. 30060

**Phone:** 770-973-6251  
**Fax:** 678-401-3854

**Email:** [info@mgs4u.com](mailto:info@mgs4u.com)  
**Website:** [www.mgs4u.com](http://www.mgs4u.com)

BNC female to Type N male Right Angle Adapter



## Technical Data Sheet

This BNC female to Type N male right angle adapter is one of several thousand RF products available from Max-Gain Systems, Inc. This adapter is a between series coaxial adapter.

This adapter is made from a Solid Brass body that is precision machined and plated with Nickel for superior performance and value. This BNC female to Type N male adapter has a delrin dielectric and a gold plated brass center pin. The BNC female provides tabs or “bayonets” for quick and reliable connections and disconnections. The Type N male side contains a gasket, for shock / vibration resistant and waterproof connections.

## Material Specifications

### BNC female to Type N male Right Angle Adapter

Part Number 7324-RA

Description	Material	Plating
Shell	Brass	Nickel
C Ring	Brass	None
Gasket	Silicone	Orange
Pin	Brass	Gold
Insulator	Delrin	White
Body	Brass	Nickel

## Mechanical Specifications


Size	Dimension
Length	1.39 in (35.4 mm)
Width	0.78 in (20 mm)
Height	1.24 in (31.46 mm)
Weight	1.5 oz (42 g)

## Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

## Compliance Certifications (see product page for current documentation)

**Availability** Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/bnc-female-to-type-n-male-right-angle-adapter/>



**MGS** MAX-GAIN  
SYSTEMS, INC.

Max-Gain Systems, Inc.  
150 Dodd Street SE, Marietta, GA. 30060  
Phone: (770) 973-6251 | Fax: (678) 401-3854  
Website: www.mgs4u.com | E-Mail: sales@mgs4u.com

TITLE: BNC female to Type N male Right Angle  
Adapter

DRAWING NO: 7324-RA  
CAGE CODE: 7JZZ8

PART NO		DATE	
APPROVED		DATE	
CHECKED		DATE	
DRAWN		DATE	
UNLESS OTHERWISE SPECIFIED TOLERANCES		UNIT: mm	
0.5-5 = ±0.2		SCALE: .	
5-30 = ±0.4			
30-120 = ±0.6			
120-315 = ±1			
315-1000 = ±1.6			
1000-2000 = ±2.4			
SHELL	BRASS	NICKEL	
C RING	BRASS	NONE	
GASKET	SILICONE	ORANGE	
PIN	BRASS	GOLD	
INSULATOR	DELIN	WHITE	
BODY	BRASS	NICKEL	
NO. DESCRIPTION	MATERIAL	FINISH	