



150 Dodd Street SE  
Marietta, GA. 30060

Phone: 770-973-6251  
Fax: 678-401-3854

Email: [info@mgs4u.com](mailto:info@mgs4u.com)  
Website: [www.mgs4u.com](http://www.mgs4u.com)

Type F female to Type N male Adapter



### Technical Data Sheet

This Type F female to Type N male adapter is one of several thousand RF products available from Max-Gain Systems, Inc. This adapter is a between series coaxial adapter.

This adapter is made from a Solid Brass body that is precision machined and plated with Nickel for superior performance and value. This Type F female to Type N male adapter has a delrin dielectric and a gold plated brass center pin. The Type F female side provides threads that ensure a perfect connection allowing use at higher frequencies. The Type N male side contains a gasket, for shock / vibration resistant and waterproof connections.

### Material Specifications

Type F female to Type N male Adapter

Part Number 7325

Description	Material	Plating
Shell	Brass	Nickel
C Ring	Brass	None
Gasket	Rubber	Red
Pin	Brass	Gold
Insulator	Delrin	White
Body	Brass	Nickel

## Mechanical Specifications

Size	Dimension
Length	1.27 in (32.3 mm)
Width	0.78 in (20 mm)
Height	0.78 in (20 mm)
Weight	1.2 oz (36 g)


## Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

**Compliance Certifications** (see product page for current documentation)

**Availability** Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/type-f-female-to-type-n-male-adapter-7325/>

5/8-24UNEF-2B



Max-Gain Systems, Inc.  
 150 Dodd Street SE, Marietta, GA, 30060  
 Phone: (770) 973-6251 | Fax: (678) 401-3854  
 Website: www.mgs4u.com | E-Mail: sales@mgs4u.com

TITLE: Type F male to Type N female Adapter

DRAWING NO: 7325  
 CAGE CODE: 7JZZ8

		PART NO	DATE
		APPROVED	DATE
		CHECKED	DATE
		DRAWN	DATE
		UNLESS OTHERWISE SPECIFIED TOLERANCES	
		0.5-5 = ±0.2	
		5-30 = ±0.4	
		30-120 = ±0.6	
		120-315 = ±1	
		315-1000 = ±1.6	
		1000-2000 = ±2.4	
		UNIT: mm	
		SCALE: -	
NO.	DESCRIPTION	MATERIAL	QTY.
	SHELL	BRASS	1
	C RING	NICKEL	1
	GASKET	RUBBER	1
	PIN	RUBBER	1
	INSULATOR	BRASS	1
	BODY	DELTRIN	1
		BRASS	1
		NICKEL	1
		FINISH	1