



150 Dodd Street SE
Marietta, GA. 30060

Phone: 770-973-6251
Fax: 678-401-3854

Email: info@mgs4u.com
Website: www.mgs4u.com

UHF female to Type N female Adapter



Technical Data Sheet

This UHF female to Type N female Adapter right angle adapter is one of several thousand RF products available from Max-Gain Systems, Inc. This adapter is a between series coaxial adapter.

This adapter is made from a Solid Brass body that is precision machined and plated with Nickel for superior performance and value. This Type N female to UHF female adapter has a Delrin dielectric and a gold plated brass center pin. The Type N female side accepts a Type N male which contains a gasket, for shock- / vibration- resistant and waterproof connections. The UHF female side (also known as a SO-239 connection) is by far the most popular connection type used in Amateur Radio.

Material Specifications

UHF female to Type N female Right Angle Adapter

Part Number 7335

Description	Material	Plating
Pin	Brass	Gold
Insulator	Delrin	White
Body	Brass	Nickel

Mechanical Specifications

Size	Dimension
Length	1.28 in (32.5 mm)
Width	0.65 in (16.5 mm)
Height	0.65 in (16.5 mm)
Weight	1 oz (28 g)

Electrical Specifications

Criteria	Dimension
Impedance (Nominal)	50 Ohms
Frequency Range	DC to 400 MHz
VSWR	1.3:1
Working Voltage	1,000

Environmental Specifications

Temperature	Spec
Operating Range	-65 to +165 deg C

Compliance Certifications (see product page for current documentation)

Availability Click the following link (or enter part number in the “SEARCH” bar at the top of any page of the website) to obtain additional part information including price, inventory and certifications: <https://mgs4u.com/product/uhf-female-to-type-n-female-adapter-7335/>

